



Basic Wireless GSM Alarm System Starter Kit

GSM alarm system controllable with app

EM8605

EAN: 8716065319361

OVERVIEW

- Basic reliable GSM based wireless alarm system
- Receive notifications by text message and phone call
- Operates with a GSM sim card
- Back-up batteries in case of power failure
- No subscription and monthly fees required
- Kit content: EM8605 base station with a built-in siren, 1x motion sensor, 1x door/window contact, 2x remote control and 2x window alarm stickers
- Remote controllable and programmable via the free EM8605 app (works via SMS text messages)
- Remote listening in your home
- Supports 50 wireless sensors
- Give up to 4 sensors a dedicated name
- Built-in siren
- 3 Pre-programmed alarm groups
- Up to 5 programmable phone numbers

SPECIFICATIONS

- 5 YEAR WARRANTY

- Control Panel
 - Power supply 110 – 240V AC 50-60Hz
 - Output 12V DC 500mAh
 - Mobile GSM frequency 850 / 900 / 1800 / 1900Mhz
 - Stand-by current 80mA
 - Alarm current 170mA
 - Back-up battery: Lithium-Ion battery 7,4V 500mA rechargeable battery pack
 - Internal siren 110dB
 - Maximum amount of sensors 10 x Remote controls
 - 50 x Sensors
 - Sensor frequency 433MHz
 - Temperature -10 to 55 degrees Celsius
 - Humidity < 80% (no condensing)
 - Dimensions Alarm system 126 x 36 x 130 mm
 - Dimensions Stand 150 x 70 x 10
 - Weight in grams: 285
- Motion detector
 - Power supply 3V DC (2 x AA 1,5V LR6)
 - Stand-by current < 0uA
 - Alarm current < ,5mA
 - Detection reach 8 meter / 110 degrees
 - Wireless reach Max. 80 meter (open field)
 - Frequency sensors 433MHz
 - Temperature -10 to 55 degrees Celsius
 - Humidity < 80% (no condensing)
 - Dimensions motion detector 108 x 52 x 36,8 mm
 - Dimensions mounting bracket 52 x 30 x 26,5 mm
 - Weight in grams: 56
- Window/door contact
 - Power supply 1,5V DC (1 x AA 1,5V LR6)
 - Stand-by current < 0uA
 - Alarm current < 0mA



- Wireless reach Max. 80 meter (open field)
 - Frequency sensors 433MHz
 - Temperature -10 to 55 degrees Celsius
 - Humidity < 80% (no condensing)
 - Dimensions sensor 71 x 34 x 17,5 mm
 - Dimensions magnet 51 x 12 x 13,5 mm
 - Weight in grams: 16,5
- Basic Wireless GSM Alarm System Starter Kit**
GSM alarm system controllable with app

DESCRIPTION

Secure your home with the Eminent EM8605 Basic Wireless GSM Alarm System Starter Kit. The enclosed back-up batteries ensure that the alarm system keeps working in case of a power failure. Install the Alarm System within a few easy steps. The starter kit has a base station (with sim card use*), 1 wireless motion detector, 1 wireless door/window contact, 2 window stickers and 2 remotes. The Alarm System supports up to 50 wireless sensors. Enough to secure your home. Program up to 5 telephone numbers which need to receive a phone call and a text message during an alarm. Control the Eminent Basic Alarm System with the remote control or with the free EM8605 app for iOS and Android. No subscription or monthly fees are needed.

Receive alarm notification via the reliable mobile network

The Eminent EM8605 Basic GSM Alarm System sends alarm notifications via the mobile sim card* in the base station. You can use the EM8605 everywhere you can receive a GSM signal. Program up to 5 telephone numbers which receive a phone call and get a text message during an alarm. You even can listen along in your home via your phone. The base station includes a loud siren with a maximum of 110 dB. Use the remote control or the app to enable and disable the alarm system.

Easy to install everywhere

The Eminent Basic GSM Alarm System is very easy to install everywhere in your house because of its completely wireless operation. The door contacts and motion detectors are powered by batteries. The base station requires a fixed power point. The built-in back-up batteries ensure the alarm system keeps working in case of a power failure.

Expandable up to 50 sensors

The alarm system is ready for the future because it supports up to 50 sensors. 4 Sensors can have their own name. You know directly which sensor causes the alarm. Extend the starter kit with a motion detector, door/window contact, smoke detector, gas detector, external siren and remote control.

Easy to use by everyone

Everyone can use the EM8605 Basic GSM Alarm System. The base station and the remote control both have a panic button (SOS) which sends out text messages and activates the siren once being activated. Use the remote control to arm and disarm the alarm. The Eminent 8605 app allows you to control the alarm system from all over the world.

* The Eminent alarm works with a mobile phone sim card. This is not included in the Starter Kit. The alarm system can only be used and configured by SMS text messages. This also applies to the messages via the Android and Apple iOS App. Text messages are sent to the alarm system via your mobile phone. For the use of text messages you will be charged by your telecom provider. Inform with your telecom provider the estimated cost rates for sending text messages. Make sure the credit at your mobile sim card in the alarm system is sufficient to send SMS messages or to make phone calls.



Basic Wireless GSM Alarm System Starter Kit

GSM alarm system controllable with app

IMAGES

